

Liniar Plastics

Features and Benefits

Foam Trims

Fascias

Soffits

Joints and Corners

Liniar Plastics

Features and Benefits

Fully matching

Made from lead-free PVCu, installers can now offer a perfect colour match. Mouldings are also foiled for a perfect finish to installations.

Wide range

The comprehensive range incorporates capping and replacement fascias, foam and hollow soffits, a full set of associated trims and mouldings, ventilation options and dry verge.

Great value

Pricing is competitive, with Liniar 20mm boards priced similar to others' 16mm boards. Compare the quality with weaker boards that make fitting more challenging.

Technically advanced

Liniar boards are manufactured using the latest advancements in extrusion equipment and technology to provide a consistent thickness of board with improved flatness.

Easy to fit

Longer return legs and extra cover on mouldings assist with fitting, with pre-marked protective tape making it easy to find the centre line for the rafter end. Straight cuts are guaranteed.

Guaranteed

All Liniar PVCu profiles come with a 10 year guarantee against cracking, warping or discolouration.

Fire rated

9mm capping boards, 9mm flat boards and 20mm replacement boards have been classified Class 1 Y fire resistant with hollow soffit boards achieving Class 2Y.

Hollow soffit

The hollow soffit has a sturdier feel than many on the market. It comes with protective tape, a key benefit to the installer, with a double skinned fixing location to give the installer a solid installation.

Beautiful colours

Liniar's factory fitted foils offer a woodgrain or smooth finish in a huge range of colours. High quality foils won't peel or scratch off, giving an easy, low maintenance appearance.

Designed by experts

The whole Liniar range is designed, manufactured and tested by a team with over 500 years' experience within the window and construction industries.

British made

Designed and extruded in Derbyshire at HL Plastics manufacturing plant, which boasts the largest mixing plant in the UK.



Foam Trims

Liniar Advantages

Liniar foam trims are designed and manufactured in the UK using high quality manufacturing processes and materials and are guaranteed for 10 years (subject to t&c).

Not only are Liniar foam trims made from 100% lead-free PVCu, the foiled woodgrain finishes are factory fitted in-house and therefore match perfectly.

All types and sizes of Liniar foam trim are available in plain white or plain cream profile, together with eight foiled finishes from stock. Additional colours are available to order as specials to match your windows, doors and conservatories, just contact your local branch for more details.

Available in White as standard plus the colours shown below.



Ideal match for Aluminium profiles.

Colour Matched



10 Year Guarantee



Made in the UK




D Mould and Cloak Trim

D Mould and Cloak Trim


Used to give a neat finish around the edge of window frames. Chamfered bead can be used to give a neat finish between a window frame and window board.

D Mould Foam Trim - 24mm x 6mm




Colour	Code	Pack Qty
White	LWTD24WH	10

Chamfered Bead 18mm x 12mm




Colour	Code	Pack Qty
White	LWTB18WH	10

Cloak Foam Trim - 18mm x 6mm



Colour	Code	Pack Qty
White	LWTCT18WH	10

Cloak Foam Trim - 28mm x 6mm



Colour	Code	Pack Qty
White	LWTCT28WH	10


Available in White (WH), White Grain (WHF), Cream Grain (CRF), Rosewood Grain (RW), Golden Oak Grain (LO), Irish Oak Grain (IO), Black Grain (BK), 7016 Grey Grain (AG), Chartwell Green Grain (CG), 7016 Grey Smooth (AGS).

Quadrants and Angles

Quadrants and Angles


Quadrants come in 2 different sizes and are commonly used to cover gaps between windows and cills. Adjustable angles have a recessed groove, meaning it can be angled precisely for bay poles, corner post etc.

Foam Quadrant Trim 13.5mm x 9mm



Colour	Code	Pack Qty
White	LWTQ135WH	10

Foam Quadrant Trim 18.5mm x 14mm



Colour	Code	Pack Qty
White	LWTQ185WH	10

Adjustable Angle - 50mm



Colour	Code	Pack Qty
White	LWTAA50WH	10

Adjustable Angle - 75mm



Colour	Code	Pack Qty
White	LWTAA75WH	10

Available in White (WH), White Grain (WHF), Cream Grain (CRF), Rosewood Grain (RW), Golden Oak Grain (LO), Irish Oak Grain (IO), Black Grain (BK), 7016 Grey Grain (AG), Chartwell Green Grain (CG), 7016 Grey Smooth (AGS).

Architrave and Angle Trims

Architrave and Angle Trim


Architrave comes in 3 different widths to give a professional finish around the edges of windows and doors.

Foam Architrave - 45mm x 6mm




Colour	Code	Pack Qty
White	LWTARC45WH	10

Foam Architrave - 65mm x 6mm




Colour	Code	Pack Qty
White	LWTARC65WH	10

Foam Architrave - 95mm x 6mm



Colour	Code	Pack Qty
White	LWTARC95WH	10

Angle Trim - 45 x 40mm



Colour	Code	Pack Qty
White	LAT001WH	10

Available in White (WH), White Grain (WHF), Cream Grain (CRF), Rosewood Grain (RW), Golden Oak Grain (LO), Irish Oak Grain (IO), Black Grain (BK), 7016 Grey Grain (AG), Chartwell Green Grain (CG), 7016 Grey Smooth (AGS).

Roofline Range

Thicker, stronger, and better value

At 20mm thick, instead of the customary 16mm, Liniar fascia boards will provide greater strength. Longer return legs and extra cover on mouldings will assist ease of fitting. Pricing will be competitive, with the thicker 20mm boards being similar to 16mm prices from competitors.

Quality products

Liniar fascia boards are manufactured using the latest advancements in extrusion equipment and technology to provide a consistent thickness of board with improved flatness.

Pre-marked for convenience

The protective tape on Liniar fascia boards is pre-marked and lined, making it easy to find the centre line for the rafter end. Should the board need cutting, installers are guaranteed a straight cut with no need to peel back the tape, mark the board and risk scratching.



Ideal match for Aluminium profiles.

Available in a wide range of colours and styles. White as standard plus colours below.


Fascias

Replacement Fascia Boards


This 20mm thick replacement fascia board is for fixing to the rafters that run parallel to your house so it conceals them, brackets for guttering will also sit on this board.



In widths 150mm - 300mm



354mm - 454mm come in Double Ended as standard




Code	Size and Colour	Pack Qty
LRB150WH	150mm x 5m White	2
LRB175WH	175mm x 5m White	2
LRB200WH	200mm x 5m White	2
LRB225WH	225mm x 5m White	2
LRB250WH	250mm x 5m White	2
LRB300WH	300mm x 5m White	2
LRB354WH	354mm x 5m White	2
LRB454WH	454mm x 5m White	2
LRB454WH1.25	454mm x 1.25m White	1

Available in White (WH), White Grain (WHF), Cream Grain (CRF), Rosewood Grain (RW), Golden Oak Grain (GO), Irish Oak Grain (IO), Black Grain (BK), 7016 Grey Grain (AG), Chartwell Green Grain (CG) and 7016 Grey Smooth (AGS)


Capping Fascia Boards

Capping Fascia Boards


Capping fascia boards are used to cover over existing timber fascia boards.



In widths 150mm - 300mm



354mm - 454mm comes in double ended as standard




Code	Size and Colour	Pack Qty
LCB150WH	150mm x 5m White	2
LCB175WH	175mm x 5m White	2
LCB200WH	200mm x 5m White	2
LCB225WH	225mm x 5m White	2
LCB250WH	250mm x 5m White	2
LCB300WH	300mm x 5m White	2
LCB354WH	354mm x 5m White	2
LCB454WH	454mm x 5m White	2
LCB454WH1.25	454mm x 1.25m White	1

Available in White (WH), White Grain (WHF), Cream Grain (CRF), Rosewood Grain (RW), Golden Oak Grain (GO), Irish Oak Grain (IO), Black Grain (BK), 7016 Grey Grain (AG), Chartwell Green Grain (CG) and 7016 Grey Smooth (AGS)

Flat Board Fascias

Flat Board Fascias


The general purpose board is 9mm thick and the larger width boards are double ended as standard.



In widths 150mm - 300mm



354mm - 454mm comes in double ended as standard



Code	Size and Colour	Pack Qty
LFB150WH	150mm x 5m White	2
LFB175WH	175mm x 5m White	2
LFB200WH	200mm x 5m White	2
LFB225WH	225mm x 5m White	2
LFB250WH	250mm x 5m White	2
LFB300WH	300mm x 5m White	2
LFB354WH	354mm x 5m White	2
LFB454WH	454mm x 5m White	2

Available in White (WH), White Grain (WHF), Cream Grain (CRF), Rosewood Grain (RW), Golden Oak Grain (GO), Irish Oak Grain (IO), Black Grain (BK), 7016 Grey Grain (AG), Chartwell Green Grain (CG) and 7016 Grey Smooth (AGS)

Vented Soffits (Flat) Board Options


Soffit Ventilator

A competitive alternative method for vented soffit, ideal as a new build solution.



Soffit Ventilator in 5m lengths

Code	Size and Colour	Pack Qty
LSV10WH	25mm Soffit Ventilator x 5m White	10



Vented Soffit Board Examples

Use the above plus the flat board fascias on pg 15.

Flatboard +	Soffit Ventilator =	Vented Board Size
LFB150WH	LSV10WH	175mm Vented Board
LFB175WH	LSV10WH	200mm Vented Board
LFB200WH	LSV10WH	225mm Vented Board
LFB225WH	LSV10WH	250mm Vented Board
LFB250WH	LSV10WH	275mm Vented Board

Available in White (WH), White Grain (WHF), Cream Grain (CRF), Rosewood Grain (RW), Golden Oak Grain (GO), Irish Oak Grain (IO), Black Grain (BK), 7016 Grey Grain (AG), Chartwell Green Grain (CG) and 7016 Grey Smooth (AGS)

Roofline Soffits

100mm and 300mm Soffit Board

Used as an alternative to timber soffit, this board can be applied horizontally or vertically.



Soffit board in 5m lengths

100mm



300mm



Code	Size and Colour	Pack Qty
LSB100WH	100mm x 5m White	10
LSB300WH	300mm x 5m White	5

J Starter Trim

J Starter trim in 5m lengths.


Code	Size and Colour	Pack Qty
LJST9WH	J Starter Trim x 5m White	10



H Joint Trim

H Joint trim in 5m lengths.

Code	Size and Colour	Pack Qty
LHJT9WH	H Joint Trim x 5m White	10




Roofline Soffits

F Wall Trim

F wall trim in 5m lengths.



Code	Size and Colour	Pack Qty
LFWT9WH	F Wall Trim x 5m White	10



2 Part Trim

2 part trim in 5m lengths.

Code	Size and Colour	Pack Qty
L2PT9WH	2 Part Trim x 5m White	10



Felt Roof Trim

Felt roof trim in 5m lengths.

Code	Size and Colour	Pack Qty
LFRT9WH	Felt Roof Trim x 5m White	10



All available in White (WH), White Grain (WHF), Cream Grain (CRF), Rosewood Grain (RW), Golden Oak Grain (GO), Irish Oak Grain (IO), Black Grain (BK), 7016 Grey Grain (AG), Chartwell Green Grain (CG) and 7016 Grey Smooth (AGS)


PVCu Joints and Corners

Joints and Corners

Both strong and sturdy, joints and corners have been perfectly colour matched to suit all fascia boards. All joints and corners are double ended and come with cutting marks as standard.


90° External Corner

Code	Description	Pack Qty
LRM90CEWH	90° External Corner. Double Ended 460mm. White	10




90° Internal Corner

Code	Description	Pack Qty
LRM90CIWH	90° Internal Corner. Double Ended 460mm. White	10




135° External Corner

Code	Description	Pack Qty
LRM135CEWH	135° External Corner. Double Ended 460mm. White	10



135° Internal Corner


Code	Description	Pack Qty
LRM135CIWH	135° Internal Corner. Double Ended 460mm. White.	10



PVCu Joints and Corners

In-line Joint Trim


Code	Description	Pack Qty
LRM180JTWH	In-line Joint Trim White. Double Ended 460mm. White	10



Gable Finial


Code	Description	Pack Qty
GF1WH	Gable Finial White	10

All available in White (WH), White Grain (WHF), Cream Grain (CRF), Rosewood Grain (RW), Golden Oak Grain (GO), Irish Oak Grain (IO), Black Grain (BK), 7016 Grey Grain (AG), Chartwell Green Grain (CG) and 7016 Grey Smooth (AGS)



Fascia Board End Cap

Improved fit fascia board end caps with location guides ensuring a secure and precise fit. Available in both 50mm and 300mm sizes. By removing the location pips these end caps will also provide a finished edge to any fascia board.



Code	Description	Pack Qty
WBC50WH	Fascia Board End Cap White	5 (Pairs)
WBC50BR	Fascia Board End Cap Rosewood/Brown	5 (Pairs)
WBC50LO	Fascia Board End Cap Oak/Caramel	5 (Pairs)


Code	Description	Pack Qty
WBC300WH	Fascia Board End Cap 300mm White	5 (Pairs)
WBC300BR	Fascia Board End Cap 300mm Rosewood/Brown	5 (Pairs)
WBC300LO	Fascia Board End Cap 300mm Oak/Caramel	5 (Pairs)

Window Cill


Features

- ✓ Ideal for 70mm PVCu windows and doors, including composite doors.
- ✓ Suitable for new build and refurbishment projects.
- ✓ Easily welded.
- ✓ Joining strips, cill connectors and end caps available in colour matched finishes.
- ✓ Common RCM (Recycled Composite Material) reinforcement available.


185mm Large Platform Cill



125mm Large Platform Cill



155mm Large Platform Cill



85mm Large Platform Cill



Code	Description	Pack Qty
PL85**	85mm External Cill	2
PL125**	125mm External Cill	2
PL155**	155mm External Cill	2
PL185**	185mm External Cill	2

All available in Rosewood / White (RWW), Woodgrain (WG), Woodgrain White (WGW), Black Ash/White (BAW), Brilliant White (BW), Light Oak (LO), Rosewood (RW), Light Oak White (LOW)

Code	Description	Pack Qty
PL85**CAP	Cill End Caps for 85mm Cill Only	100
PL**CAP	Universal External Cill End Caps	100

All available in Woodgrain (WG), Brilliant White (BW), Light Oak (LO)

Code	Description	Pack Qty
PLCJ90**	90° Cill Joint	10
PLCJ**	Straight Cill Joint	10
PLCJU**	Universal Cill Joint (120° - 150°)	10

All available in Woodgrain (WG), Brilliant White (BW), Light Oak (LO)

Dry Verge System

Description

The Dry Verge System is a proven quick and effective solution for finishing the verge of a concrete tiled roof. Our Dry Verge System is suitable for practically all profiles of interlocking concrete tiles and does not require maintenance. The system is able to be mechanically fixed with no mortar necessary all year round.

The angled or round ridge caps are there to be used as protection to the end of the ridge allowing a better aesthetic whilst the starter cap seals access to the base of the dry verge which prevents the opportunity for birds and large insects to gain access.

The design of the products maintains the stepped appearance of verge whilst unobtrusive to the appearance of original roof.

Features

- ✓ Easy to fix and maintenance free.
- ✓ Applicable to the majority of interlocking concrete tile profile that have batten gauge between 280mm and 350mm.
- ✓ Mortar-free application allows fixing throughout all four seasons.
- ✓ Prevents access for birds and large insects up the inside of the verge.
- ✓ Suitable for new build of refurbished situations on a roof pitch between 15° to 55°.
- ✓ Universal dry verge applicable as both left and right handed.
- ✓ Complies with BS 5534 requirements for mechanical fixing.

Universal Dry Verge



Starter Cap



Angled Ridge Cap



Round Ridge Cap



Code	Description	Pack Qty	Unit
DVU/**	Universal Dry Verge	40	Each
DVSC/**	Starter Cap	25	Each
RCA/**	Angled Ridge Cap	20	Each
RCR/**	Rounded Ridge Cap	20	Each




All available in Terracotta (TC), Brown (BN), Grey (GY) and Black (BK)

Decorative Panels

Neptune Range PVC Wall and Ceiling Panels (22.6m High x 250mm Wide x 8mm Thick)

Highly durable PVC bathroom shower panels, ideally designed for simple construction and installation. Six different designs to suit all tastes, maintenance free and easy to clean.

Code	Description	Pack Qty	Unit
N/CBEIGE	Beige Marble	4	Pack
N/CBLACK	Black Marble	4	Pack
N/CBLUE	Blue Marble	4	Pack
N/CITALIA	Italia Marble	4	Pack
N/CVMARBLE	Venetian Marble	4	Pack
N/CBSPARKLE	Black Sparkle	4	Pack
N/CWSPARKLE	White Sparkle	4	Pack
N/CBKCHROME	Black Chrome	4	Pack
N/CWHCHROME	White Chrome	4	Pack
N/CWGLOSS	White Gloss	4	Pack



Decorative Panels

Neptune Range PVC Shower Panels (2.6 High x 1m Wide x 10mm Thick)

Code	Description	Pack Qty	Unit
N/SPBLACK	Black Marble	1	Each
N/SPBSPARKLE	Black Sparkle	1	Each
N/SPWSPARKLE	White Sparkle	1	Each
N/SPPMARBLE	Pergamon Marble	1	Each
N/SPFWHITE	Frosty White	1	Each

Neptune Fixing Trims

Maintenance free, excellent alternative to tiles. Can be installed directly over sound, wall decoration. Easy to clean, just needing the occasional wipe down.

Code	Description	Pack Qty	Unit
N/CFLEXIS	Flexi Corner 1 Part Silver 2.6m	1	Each
N/CINSERTSV	Clip on Highlight Strip Silver 2.7m	1	Each
N/CJTS	J Section Edge Trim 1 Part Silver 2.7m	1	Each
N/CQUISS	15mm Quadrant Silver 2.6m	1	Each
N/CRAS	20mm Plant On Ext Right Angle Silver	1	Each

Conservatory Roofs

Perfectly colour matched

The Liniar roof matches perfectly with the rest of Liniar's ranges – so you can offer your customers a beautifully matching conservatory.

Single point of guarantee

The whole Liniar PVCu range is guaranteed for a minimum of 10 years against warping, splitting or discolouring – giving you and your customers peace of mind and a single point of contact in the unlikely event of any future issues arising.

Fully energy efficient

By combining the Liniar roof's thermally efficient and rigid twin walled top caps with Liniar Plastics, you can now offer customers a fully energy efficient conservatory helping them keep more of the heat inside their home during the winter months.

No glazing slip

All Liniar roof kits come with patented Glazing Stop, eliminating 100% of glazing slip on both glass and polycarbonate roofs – no double-sided tape is needed to keep glazing in place.

Quick and easy to fit

The Liniar roof was designed to be really simple to install. It's also built for on-site adjustment, making everything easier for the fitter – and there's a full installation guide and video to show you exactly how it should be installed too.



Fabricator friendly quote form that's simple and easy to fill in for quick and competitive pricing.